Website

Facebook

YouTube

simon
LIGHT UP EMOTIONS

www.simonelectric.com

Simon, S.A.(Spain)
Tel. +34 902 109100
Web. www.simonelectric.com

Simon Electric (China)
Tel. +86 21 3855 5222
Web. www.simon.com.cn

Simon Electric (APAC)
Web. www.simon-apac.com
E-mail. info@simon-apac.com

PT Simon Elektrik Indonesia
Tel. +62 21 52960373
Web. www.simonelektrik.co.id

Jun 2024 Printed

Simon M7 Catalogue

simon

Simon|M7



SELECTED MATERIAL SLIM AESTHETICS SMART INSPIRATION

simon

Simon|M7

Simon|M7

SELECTED MATERIAL SLIM AESTHETICS SMART INSPIRATION



Air/Gem/Metal

DESIGN AWARD 2024

DESIGN AWARD 2023


reddot winner 2023

Selected Material
Pinnacle of CMF Design

3 premium materials and ***9*** colors.
Collision between modern and future.
Raging imagination with exquisite design.

Simon M7 Gem

Utilize the transparency of ***Glass***
Texture of natural jewel
Artistry aesthetics revealed



Simon M7 Gem

Anti-glare Glass
Classy Matte Surface

7H high strength etched AG glass, with automated seamless process,
70% high intensity haze effect,while preserve the transparency of glass.
Exquisite **visual & touch.**





Simon M7 Gem

AF Nano Coating
Ever-lasting Clean Surface


AF nano-coating is the process of applying a surface layer that repels water, oil and dirt.

No fingerprint

The elegance always endures.

Simon M7 Metal

Metal - a unique design language.
Restore the texture of metal materials.
Simon applies more techniques to activate the beauty of metal materials.




Simon M7

Anodic Oxidation Process
Vivid Color

Aviation-grade aluminum material

Anodic oxidation process, effectively improves the surface ***hardness, insulation, resistance to wear & heat.***

Long-lasting metallic luster.



Selected Material



Frosted silver

Fine, uniform frosted texture surface allows the light to be evenly dispersed.
The blend of technology and art presents the best aesthetics and quality.



Brushed Grey

The wire drawing process
Creates a flowing glossy surface and improves decorative effect.

Satin Gold

Delicate and refined surface.
Combine softness of satin with the hard metal texture.



Simon M7 Air

Plastic **-** the brand new matte leather process brings out the delicate layers and luster of the surface,
creating chic style to any space, no matter modern, quiet or ornate.



Slim as Natural
Breakthrough Innovation

Frameless panel design.
Cleverly balances the visual and function experience.
Slim and elegant.

Beyond Imagination
More Than Just Slim

The entire series reduces the panel thickness down to ***7.5mm***,
and thinner to ***5.1mm*** when switched on.
Slim side lines beyond imagination, set new standards for living space.






Fully Flat Multi-gang Appearance

When switch is off, the rocker is parallel to the base plate, achieving ***0° angle***.
Switches are flush with sockets, better blending into the wall.

Ultra Slim Visual



Refined Details
Precise Manufacture

The visual enjoyment of slimness comes from dedicated craftsmanship.
Simon's more than a hundred years of polishing and never-ending breakthroughs,
to create outstanding quality with innovation.

simon

Neat Visual

The rocker gap is down to **0.2mm**
Height difference between rockers ≤ **0.2mm**.

Smooth Click


The multilink micro-motion structure creates
1.6° on/off angle, clear and smooth click.

Quiet and Cozy

1.6° on/off angle, ultra short keystroke.
Click sound below 40dB without noise.

Robust and Durable

The steel base plate can handle **0.6N·m** torque,
less deformation in installation.





Uniform & Systematic

One stop solution, a complete package dealing with all scenarios.
Impeccable unified appearance.



3000K Sensory Footlight

Sensors and luminous surfaces have a flat appearance and blend perfectly into the wall.



Dual Band Gigabit Wall-mounted WiFi Router(POE)

Supports **2.4GHz+5GHz**, more balanced load on assigned frequency bands; Built-in AC management mode, manage multiple AP panels simultaneously.



USB(5V 2.4A)+TYPE-C(65W)

Don’t need chargers. Support multiple fast-charging protocols.
Maximum **65W fast charging**.



Thermostat

Upgraded color screen, clearer status display.



Active Interaction
Smart Inspiration

Break free with an innovative communication solution.

Active interaction functions.

Provide users with a full range of smart switches, to achieve an ***all-scenario*** smart life solution.

Wireless Communication
Break Away from Material Constraints

The innovative smart communication solution makes it possible that the signal can break through the constraints of glass and metal.

More efficient and stable.
Communication distance ***150m*.***
Easily across any scene.



* Data comes from Simon Lab

ZigBee 3.0
Financial-grade Encryption

Adopt ***ZigBee 3.0*** protocol, less energy consumption, lower latency, mature ecosystem.
Fast and stable smart interactions, easily handle complex situations.
Apply ***AES-128*** financial-grade encryption, safeguarding user information security
and make data processing and transmission more efficient.





Active light language Interaction
Status Clearly displayed & Controlled

Scene switch: all lights on/off, clear visual feedback on the panel.
Dimming switch: stepped indication with synchronized brightness display.
Curtain switch: Progressive light language blinking, status vividly displayed.


Above smart panel models are equipped with light language indication.

Active Infrared Detection
Everything Precisely Perceived

Equipped with active infrared detection, precisely detect target position.

30cm proximity sensing,

Panels effortlessly waken up with every swing of the fingertips.





Dual-color Indicator Design

Dual-color backlight buttons, customizable engraving.

The color of the indicator is synchronized with the switch status

Orange - ON

White - OFF

Light status clearly displayed.

Any Time
Free to Dim

Long press the button to enter dimming mode.
Light indicator will display the current brightness of the light.
Load power ***400W(LED)/gang***.



Simon | Smart

Break Existing Boundary
All Functions Fully Integrated

Based on the original smart switches, add ***8 Gang Smart Scene Switch, Switch+Scene Multifunction Switch 4-inch Smart Color Screen Thermostat***
Integrated functions bring innovative experiences

simon

3 Control Methods
Enjoy Free Lifestyle


Provide touch control, voice control, and APP control ***3*** channels of interaction, satisfying different user preferences.
"Enjoy free lifestyle at your fingertips."

Buttons and Touch Screen

Buttons apply micro-motion structure,
clear and firm feedback;

Touch screen with all information clearly displayed,
finger swipe and tap to control all functions






Voice Control


Support linkage with mainstream smart speakers. Smart devices easily controlled through voice.

Google speaker / Amazon Alexa speaker / Siri

Phone App Remote Control

Simon Smart App supports remote controlling smart devices, customized control settings,
and checking on device status.
"Anywhere, anytime, enables smart home control."





Customize Scene Interaction

Based on Simon Smart ecosystem,
users can freely create exclusive life scenes.
The whole family can enjoy smart control together.

Simon|ELV

simon

Low voltage switches integrated with control systems



The M7 series of low voltage switches are designed for use with ***the RCU bus system***.
These switches are ideal for installation in commercial or residential settings,
such as hotels, offices, villas, and more.
The RCU bus system controls the automation of essential functions, including curtains, lighting, heating, air conditioning, energy management, and other smart space features.
It intelligently transforms spaces, optimizes usage, enhances reliability, and improves energy efficiency.

Simon|M7

SELECTED MATERIAL

SLIM AESTHETICS

SMART INSPIRATION



- Switches
- Socket
- Tel, TV and Data Outlets
- Others
- Frame

Simon M7 Air





Platinum White



6R Platinum Silver



6Q Platinum Grey

DESIGN AWARD 2023

reddot winner 2023

COLOUR ▶ Platinum White | -6R Platinum Silver | -6Q Platinum Grey

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

Switches

661011
1 Gang 1 Way Switch
(16AX 250V)



661012
1 Gang 2 Way Switch
(16AX 250V)



661026
1 Gang Intermediate Switch
(16AX 250V)



662023
20A Double Pole Switch with LED
(20AX 250V)



662024
20A 2 Way Double Pole
Switch with LED (20AX 250V)



662025
20A Double Pole Switch with LED
(with earth bond)
(20AX 250V)



662026
20A 2 Way Double Pole
Switch with LED (with earth bond)
(20AX 250V)



661021
2 Gang 1 Way Switch
(16AX 250V)



661022
2 Gang 2 Way Switch
(16AX 250V)



661046
2 Gang Intermediate Switch
(16AX 250V)



661031
3 Gang 1 Way Switch
(16AX 250V)



661032
3 Gang 2 Way Switch
(16AX 250V)



661041
4 Gang 1 Way Switch
(16AX 250V)



661042
4 Gang 2 Way Switch
(16AX 250V)



666301
Doorbell Switch
(16AX 250V)



661011F
1 Gang Push-button Switch
(16AX 250V)



COLOUR ▶ Platinum White | -6R Platinum Silver | -6Q Platinum Grey

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

661021F
2 Gang Push-button Switch
(16AX 250V)



Socket

661080
2 Pin Socket and
Mult-standard Socket
(10A 250V)



661089
Multi-standard Socket with Switch
(13A 250V)



661287
Twin EU-US with Earth Socket
(16A 250V)



661382
13A BS Switched Socket
(13A 250V)



661383
13A BS Double Pole
Switched Socket
(13A 250V)




661687
Schuko Socket
(16A 250V)



66E7253
Multi-standard Socket with
USB A+C Chargers
(13A 250V)



66E7251
Twin EU-US with Earth Socket
with USB A+C Chargers
(16A 250V)



66E7254
13A BS Switched Socket
with USB A+C Chargers
(13A 250V)



66E7255
13A BS Double Pole Switched Socket
with USB A+C Chargers
(13A 250V)



66E7256
Schuko Socket with
USB A+C Chargers
(16A 250V)



66E722
USB(5V 2.4A)+TYPE-C(65W)



Simon M7

COLOUR ▶ Platinum White | -6R Platinum Silver | -6Q Platinum Grey

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

664581
Twin Bs Double Pole Switched Socket
(13A 250V)



664585
Twin BS Double Pole Switched Socket with USB A+C Chargers
(13A 250V)



Tel, TV and Data Outlets

665111
TV Outlet



665214
Telephone Outlet (RJ11)



665218
Data Outlet Cat.6



665228
Twin Data Outlet Cat.6



665229
Telephone and Data Outlet



665302
TV and Data Outlet Cat.6



665114
TV Outlet with F Connector



Hotel Solutions

45002
Doorbell



58E616
Doorbell Switch with "Do Not Disturb"
"Make Up Room" Indicator



66E732
3000k Sensory Footlight



665901
Emergency Switch



COLOUR ▶ Platinum White | -6R Platinum Silver | -6Q Platinum Grey

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

66E747
Dual Band Gigabit Wall-mounted
WiFi Router（POE Wifi 6）



66E748
Dual Band Gigabit Wall-mounted
WiFi Router（POE Wifi 5）



66E7005
Ventilation System



66E7006
Thermostat (VRV, Modbus,
need customized gateway)



Others

66E102
200W LED Dimmer Switch
(Triac)



661000
Blank Plate

665200
Wire outlet



Frames

660820
2 Gang frame



660830
3 Gang frame



660840
4 Gang frame



660850
5 Gang frame



Simon M7

Simon M7 Metal





2B Brushed Grey



2A Frosted silver



2C Satin Gold

DESIGN AWARD 2023

reddot winner 2023

COLOUR ▶ -2B Brushed Grey | -2A Frosted silver | -2C Satin Gold

Dimensions of Applicable Box



Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

Switches

661011M
1 Gang 1 Way Switch
(16AX 250V)



661012M
1 Gang 2 Way Switch
(16AX 250V)



661026M
1 Gang Intermediate Switch
(16AX 250V)



662023M
20A Double Pole Switch with LED
(20AX 250V)



662024M
20A 2 Way Double Pole
Switch with LED (20AX 250V)



662025M
20A Double Pole Switch with LED
(with earth bond)
(20AX 250V)



662026M
20A 2 Way Double Pole Switch with LED
(with earth bond)
(20AX 250V)



661021M
2 Gang 1 Way Switch
(16AX 250V)



661022M
2 Gang 2 Way Switch
(16AX 250V)



661046M
2 Gang Intermediate Switch
(16AX 250V)



661031M
3 Gang 1 Way Switch
(16AX 250V)



661032M
3 Gang 2 Way Switch
(16AX 250V)



661041M
4 Gang 1 Way Switch
(16AX 250V)



661042M
4 Gang 2 Way Switch
(16AX 250V)



666301M
Doorbell Switch
(16AX 250V)



661011FM
1 Gang Push-button Switch
(16AX 250V)



COLOUR ▶ -2B Brushed Grey | -2A Frosted silver | -2C Satin Gold

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

661021FM
2 Gang Push-button Switch
(16AX 250V)



Socket

661080M
2 Pin Socket and
Mult-standard Socket
(10A 250V)



661089M
Multi-standard Socket with Switch
(13A 250V)



661287M
Twin EU-US with Earth Socket
(16A 250V)



661382M
13A BS Switched Socket
(13A 250V)



661383M
13A BS Double Pole
Switched Socket
(13A 250V)



661687M
Schuko Socket
(16A 250V)



66E7253M
Multi-standard Socket with
USB A+C Chargers
(13A 250V)



66E7251M
Twin EU-US with Earth Socket
with USB A+C Chargers
(16A 250V)



66E7254M
13A BS Switched Socket
with USB A+C Chargers
(13A 250V)



66E7255M
13A BS Double Pole Switched Socket
with USB A+C Chargers
(13A 250V)



66E7256M
Schuko Socket with
USB A+C Chargers
(16A 250V)



COLOUR ▶ -2B Brushed Grey | -2A Frosted silver | -2C Satin Gold

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

664581
Twin Bs Double Pole Switched Socket
(13A 250V)



664585
Twin BS Double Pole Switched Socket with USB A+C Chargers
(13A 250V)



Tel, TV and Data Outlets

665111M
TV Outlet



665214M
Telephone Outlet (RJ11)



665218M
Data Outlet Cat.6



665228M
Twin Data Outlet Cat.6



665229M
Telephone and Data Outlet



665302M
TV and Data Outlet Cat.6



665114M
TV Outlet with F Connector



Others

661000M
Blank Plate



665901M
Emergency Switch



66E102M
200W LED Dimmer Switch
(Triac)



Simon M7

Simon M7 Gem





4F Diamond White



4E Diamond Silver



4D Diamond Grey

DESIGN AWARD 2023

reddot winner 2023

COLOUR ▶ -4F Diamond White | -4E Diamond Silver | -4D Diamond Grey

Dimensions of Applicable Box



Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available, MOQ 200/SKU

Switches

661011G
1 Gang 1 Way Switch
(16AX 250V)



661012G
1 Gang 2 Way Switch
(16AX 250V)



661026G
1 Gang Intermediate Switch
(16AX 250V)



662023G
20A Double Pole Switch with LED
(20AX 250V)



662024G
20A 2 Way Double Pole
Switch with LED(20AX 250V)



662025G
20A Double Pole Switch with LED
(with earth bond)
(20AX 250V)



662026G
20A 2 Way Double Pole Switch with LED
(with earth bond)
(20AX 250V)



661021G
2 Gang 1 Way Switch
(16AX 250V)



661022G
2 Gang 2 Way Switch
(16AX 250V)



661046G
2 Gang Intermediate Switch
(16AX 250V)



661031G
3 Gang 1 Way Switch
(16AX 250V)



661032G
3 Gang 2 Way Switch
(16AX 250V)



661041G
4 Gang 1 Way Switch
(16AX 250V)



661042G
4 Gang 2 Way Switch
(16AX 250V)



666301G
Doorbell Switch
(16AX 250V)



661011FG
1 Gang Push-button Switch
(16AX 250V)



COLOUR ▶ -4F Diamond White | -4E Diamond Silver | -4D Diamond Grey

Dimensions of Applicable Box



Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available, MOQ 200/SKU

661021FG
2 Gang Push-button Switch
(16AX 250V)



Socket

661080G
2 Pin Socket and
Mult-standard Socket
(10A 250V)



661089G
Multi-standard Socket with Switch
(13A 250V)



661287G
Twin EU-US with Earth Socket
(16A 250V)



661382G
13A BS Switched Socket
(13A 250V)



661383G
13A BS Double Pole
Switched Socket
(13A 250V)



661687G
Schuko Socket
(16A 250V)



66E7253G
Multi-standard Socket with
USB A+C Chargers
(13A 250V)



66E7251G
Twin EU-US with Earth Socket
with USB A+C Chargers
(16A 250V)



66E7254G
13A BS Switched Socket
with USB A+C Chargers
(13A 250V)



66E7255G
13A BS Double Pole Switched Socket
with USB A+C Chargers
(13A 250V)



66E7256G
Schuko Socket with
USB A+C Chargers
(16A 250V)



COLOUR ▶ -4F Diamond White | -4E Diamond Silver | -4D Diamond Grey

Dimensions of Applicable Box



Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available, MOQ 200/SKU

664581
Twin Bs Double Pole Switched Socket
(13A 250V)



664585
Twin BS Double Pole Switched Socket with USB A+C Chargers
(13A 250V)



Tel, TV and Data Outlets

665111G
TV Outlet



665214G
Telephone Outlet (RJ11)



665218G
Data Outlet Cat.6



665228G
Twin Data Outlet Cat.6



Others

665229G
Telephone and Data Outlet



665302G
TV and Data Outlet Cat.6



665114G
TV Outlet with F Connector



725901G
Emergency Switch



661000G
Blank Plate



66E747G
Dual Band Gigabit Wall-mounted
WiFi Router（POE Wifi 6）



66E748G
Dual Band Gigabit Wall-mounted
WiFi Router（POE Wifi 5）




66E102G
200W LED Dimmer Switch
（Triac）



Simon M7

Simon M7 Metal Smart





2B Brushed Grey



2A Frosted silver



2C Satin Gold

COLOUR ▶ -2B Brushed Grey | -2A Frosted silver | -2C Satin Gold

zigbee

Dimensions of Applicable Box



Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Simon smart

Smart Gateway

681808TY
Smart Zigbee Gateway (LAN)



S00E0-S009
Smart Zigbee Gateway (WiFi)



Smart Switch

66E8001MTY
1 Gang Smart Switch
800W 200W



66E8002MTY
2 Gang Smart Switch
2X800W 2X200W



66E8003MTY
3 Gang Smart Switch
3X800W 3X200W



66E8004MTY
4 Gang Smart Switch
4X800W 4X200W



66E8009MTY
4 Gang Multifunction smart switch
(2 scene+2 switch)
2X800W 2X200W



Smart Scene Switch

*No load wires between switch and light

66E8005MTY
1 Gang Smart Scene Switch *



66E8006MTY
2 Gang Smart Scene Switch *



66E8007MTY
3 Gang Smart Scene Switch *



66E8008MTY
4 Gang Smart Scene Switch *



Smart Curtain Switch

*4/5-Wire Strong Current Motor

66E8025MTY
8 Gang Smart Scene Switch *



66E8013MTY
1 Gang Smart Curtain Switch *
200W



66E8014MTY
2 Gang Smart Curtain Switch *
2X200W



Smart Dimming Switch

*TRIAC

66E8015MTY
1 Gang Smart Dimming Switch
400W 400W



COLOUR ▶ -2B Brushed Grey | -2A Frosted silver | -2C Satin Gold

zigbee

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

*No load wires between switch and light

Smart Tunable white and Dimming Set(with Simon Smart ZigBee light)

66E8017MTY

Smart Tunable white
and Dimming Set
(with Simon Smart ZigBee light)



N62E0-1157

Smart LED KC1 Tunable WH Module
Max12W15°2700-6000K



*KC1 Frame required

N62E0-1158

Smart LED KC1 Tunable WH Module
Max12W24°2700-6000K



*KC1 Frame required

N62E0-1159

Smart LED KC1 Tunable WH Module
Max12W36°2700-6000K



*KC1 Frame required

N62E0-1160

Smart LED KC1 Tunable WH Module
Max12W60°2700-6000K



*KC1 Frame required

N6524-0460

SmartDriverCC
200mA36VDC/220-240V
ZigbeeTunableWH(9W)



N6524-0462

SmartDriverCC
300mA36VDC/220-240V
ZigbeeTunableWH(12W)



N6524-0393

SC1 constant current Tunable WH
+ Dim driver (9W200mA36VDC)



*Zigbee module (N6524-0412) required

N6524-0394


SC1 constant current Tunable WH
+ Dim driver (12W300mA36VDC)



*Zigbee module (N6524-0412) required

N6524-0412

Zigbee module for SC1/SV1 driver
(Tunable WH + Dim)



N6524-0437


SV1 constant voltage
tunable WH+dim driver(150W)



*Zigbee module (N6524-0412) required


N6824-0256

LED Strip SS36 24V 2x96L
8mm 12W TunableWH IP20 5M



N6824-0257

LED Strip SS36 24V 2x96L
8mm 12W TunableWH IP65 5M



N65E0-0022

Simon smart TunableWH
ZigBee Control Module 24V 240W



*Need work with on off CV driver
N6524-0456 N6524-0457
N6524-0458 N6524-0463

COLOUR ▶ -2B Brushed Grey | -2A Frosted silver | -2C Satin Gold

zigbee

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Smart Thermostat

*VRF,need customized AC gateway module

66E7102MTY

Smart Ventilation & VRF System
(Simon Smart,modbus)



*can be customized into FCU type

66E7104MTY

Smart Floor Heating&VRF System
(Simon Smart,modbus)



Simon smart

Simon M7 Gem Smart





4F Diamond White



4E Diamond Silver



4D Diamond Grey

DESIGN AWARD 2024

COLOUR ▶ -4F Diamond White | -4E Diamond Silver | -4D Diamond Grey

zigbee

Dimensions of Applicable Box



Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Simon smart

Smart Gateway

681808TY
Smart Zigbee Gateway (LAN)



S00E0-S009
Smart Zigbee Gateway (WiFi)



Smart Switch

66E8001GTY
1 Gang Smart Switch
800W 200W



66E8002GTY
2 Gang Smart Switch
2X800W 2X200W



66E8003GTY
3 Gang Smart Switch
3X800W 3X200W



66E8004GTY
4 Gang Smart Switch
4X800W 4X200W



66E8009GTY
4 Gang Multifunction smart switch
(2 scene+2 switch)
2X800W 2X200W



Smart Scene Switch

*No load wires between switch and light

66E8005GTY
1 Gang Smart Scene Switch *



66E8006GTY
2 Gang Smart Scene Switch *



66E8007GTY
3 Gang Smart Scene Switch *



66E8008GTY
4 Gang Smart Scene Switch *



Smart Curtain Switch

*4/5-Wire Strong Current Motor

66E8025GTY
8 Gang Smart Scene Switch *



66E8013GTY
1 Gang Smart Curtain Switch *
200W



66E8014GTY
2 Gang Smart Curtain Switch *
2X200W



Smart Dimming Switch

*TRIAC

66E8015GTY
1 Gang Smart Dimming Switch
400W 400W



COLOUR ▶ -4F Diamond White | -4E Diamond Silver | -4D Diamond Grey

zigbee

Dimensions of Applicable Box

Plate: 86*86m
Box: 72*72mm
Fixing Center: 60.3m

Smart Tunable white and Dimming Set(with Simon Smart ZigBee light)

66E8017MTY
Smart Tunable white
and Dimming Set
(with Simon Smart ZigBee light)



N62E0-1157
Smart LED KC1 Tunable WH Module
Max12W15°2700-6000K



*KC1 Frame required

N62E0-1158
Smart LED KC1 Tunable WH Module
Max12W24°2700-6000K



*KC1 Frame required

N62E0-1159
Smart LED KC1 Tunable WH Module
Max12W36°2700-6000K



*KC1 Frame required

N62E0-1160
Smart LED KC1 Tunable WH Module
Max12W60°2700-6000K



*KC1 Frame required

N6524-0460
SmartDriverCC
200mA36VDC/220-240V
ZigbeeTunableWH(9W)



N6524-0462
SmartDriverCC
300mA36VDC/220-240V
ZigbeeTunableWH(12W)



N6524-0393
SC1 constant current Tunable WH
+ Dim driver (9W200mA36VDC)




*Zigbee module (N6524-0412) required

N6524-0394
SC1 constant current Tunable WH
+ Dim driver (12W300mA36VDC)



*Zigbee module (N6524-0412) required

N6524-0412
Zigbee module for SC1/SV1 driver
(Tunable WH + Dim)




N6524-0437
SV1 constant voltage
tunable WH+dim driver(150W)




*Zigbee module (N6524-0412) required

N6824-0256
LED Strip SS36 24V 2x96L
8mm 12W TunableWH IP20 5M



N6824-0257
LED Strip SS36 24V 2x96L
8mm 12W TunableWH IP65 5M



N65E0-0022
Simon smart TunableWH
ZigBee Control Module 24V 240W(strip)



*Need work with on off CV driver(strip)
N6524-0456 N6524-0457
N6524-0458 N6524-0463

COLOUR ▶ -4F Diamond White | -4E Diamond Silver | -4D Diamond Grey

zigbee

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Smart Thermostat

*VRF,need customized AC gateway module

66E7102GTY
Smart Ventilation & VRF Module
(Simon Smart,modbus)



*can be customized into FCU type

66E7104GTY
Smart Floor Heating&VRF System
(Simon Smart,modbus)



Simon M7 ELV Metal





2A Frosted silver



2C Satin Gold



2B Brushed Grey

COLOUR ▶ -2B Brushed Grey | -2A Frosted silver | -2C Satin Gold

**Dry-contact switch: can directly with other RCU*
**RS485 switch: use with Simon-Bus,open protocol available for third party RCU system*

Dimensions of Applicable Box



Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

RS485 Keycard Switch

66E604M

M7 RF Keycard switch Module
(DC12V,RS485)



Dry-contact switch with dual backlight

66E641M

1 Gang ELV dry contact
dual backlight switch
(DC12V)



66E642M

2 Gang ELV dry contact
dual backlight switch
(DC12V)



66E643M

3 Gang ELV dry contact dual
backlight switch
(DC12V)



66E644M

4 Gang ELV dry contact dual
backlight switch
(DC12V)



66E645M

6 Gang ELV dry contact dual
backlight switch
(DC12V)



RS485 Switch with dual backlight

66E9001M

1 Gang dual backlight switch module
(DC12V,RS485)



66E9002M

2 Gang dual backlight switch module
(DC12V,RS485)



66E9003M

3 Gang dual backlight switch module
(DC12V,RS485)



66E9004M

4 Gang dual backlight switch module
(DC12V,RS485)



RS485 Thermostat

66E9005M

8 Gang dual backlight switch module
(DC12V,RS485)



66E7011

Central-AC thermostat Module
(Simon-Bus,DC12V,RS485,VRF/FCU)



Simon M7 ELV Gem





4F Diamond White



4E Diamond Silver



4D Diamond Grey

COLOUR ▶ -4F Diamond White | -4E Diamond Silver | -4D Diamond Grey

**RS485 switch: use with Simon-Bus,open protocol available for third party RCU system*

Dimensions of Applicable Box



Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

RS485 Switch with dual backlight

66E9001G

1 Gang dual backlight switch module
(DC12V,RS485)



66E9002G

2 Gang dual backlight switch module
(DC12V,RS485)



66E9003G

3 Gang dual backlight switch module
(DC12V,RS485)



66E9004G

4 Gang dual backlight switch module
(DC12V,RS485)



RS485 Thermostat

66E9005G

8 Gang dual backlight switch module
(DC12V,RS485)



66E7011

Central-AC thermostat Module
(Simon-Bus,DC12V,RS485,VRF/FCU)



simon

LIGHT UP
EMOTIONS